GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – Municipal Administration and Urban Development Department – Disciplinary Proceedings initiated against Sri A. Chinnabbai, Assistant Engineer (PR), Municipal Corporation, Ongole for his failure maintenance of vehicles and to maintain the vehicles in road worthy condition- Appointment of Enquiry Officer – Orders - Issued.

MUNICIPAL ADMINISTRATION & URBAN DEVELOPMENT (Vig.I) DEPARTMENT

G.O.RT.No. 655 Dated: 18-09-2017

Read the following:-

1) From the GA (V&E) Department Appraisal Report No.73(C.No.1530/V&E/D1/2013) dt.27.11.2014.
2) G.O.Rt.No.153, MA &UD(Vig.I.) Deptt, Dated:17.03.2017
3) Govt. Memo No.19392/VIG.I.2/2014, Dt.10.04.2017.

-0O0-

ORDER:

Whereas inquiry under Rule-20 of APCS (CC&A) Rules,1991 is being held against Sri A. Chinnabbai, Assistant Engineer (PR) Municipal Corporation, Ongole, as he was the in charge for maintenance of vehicles and failed to maintain the vehicles in road worthy condition.

2. Whereas it is considered that an Inquiry authority should be appointed to inquire into the charges framed against Sri.A.Chinnabbai, Assistant Engineer (PR) Municipal Corporation, Ongole.

3. Now, therefore, in exercise of the powers conferred by sub- rule (2) of Rule 20 of the said rules, the disciplinary authority hereby appoints Sri T.S.Sanjay, Executive Engineer(PH), Tirupati Municipal Corporation as Enquiry officer to inquire into the charges framed against Sri A.Chinnabbai, Assistant Engineer (PR) Municipal Corporation, Ongole .

4. The Enquiry Officer shall submit his report within a month.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KARIKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri T.S.Sanjay, Executive Engineer (PH) Tirupati Municipal Corporation
(through the ENC(PH), Tadepalli, Guntur)

Copy to:-
The Assistant Commissioner Municipal Corporation,Ongole
(through the DMA, A.P., Gorantla, Guntur)
Sri A. Chinnabbai, Assistant Engineer (PR), Municipal Corporation, Ongole.
through the ENC(PH), Tadepalli, Guntur
The Engineer –In- Chief(PH), Tadepalli, Guntur.
The Engineer –In- Chief (PR), Prasadampadu, Vijayawada.
The PR & RD Department, A.P. Secretariat (for information)
Sf/Sc.

//FORWARDED BY ORDER//

SECTION OFFICER